

REINFORCER *WIRELESS* VIDEO ◊ VRA

OWNER'S MANUAL

PEHRATEK PRODUCTS

9285 Pierson Lake Drive
Chaska, MN55318
(952) 470-9063



SYSTEM CONTENTS

- 2- 15" LCD Color VRA Displays
- 1-Wireless Remote Control
(with 9 Volt Battery)
- 2- Power Packs 12 Volts DC
- 1- Instruction Manual
- 2-Mounting Brackets
Single or Dual Arm

OPTIONAL ACCESSORIES

WIRELESS CENTERING BOX

PEHRATEK PRODUCTS



WIRELESS INSTALLATION

1. Position REINFORCER Boxes over sound field loudspeakers using table-top mount or wall mounting brackets. Assure each panel's secure mounting.
 2. Route Power Pack power cords to nearest outlet.
 3. Turn Power Switch ON (found on back side of each display panel)*
 4. Place hand-held RF transmitter near audiometer to complete installation.
- *Some panels will have auto-power on capabilities and No power switch on back.

OPERATING THE *WIRELESS VIDEO* ♦ *VRA*

DUAL CHANNEL REMOTE



MULTI-CHANNEL REMOTE


This combination remote control permits the user to activate the right/left/and center box (optional) functions from one remote control.

WIRELESS HAND-HELD REMOTE CONTROLS



WIRELESS ANTENNA

NOTE: Position antenna away from metal objects. Reposition antenna for best reception.



OPTIONAL MOUNTING BRACKETS/STANDS



**OPTIONAL
CENTERING
BOX**

**UPGRADE
TO FOUR
CHANNEL
REMOTE
CONTROL**



**SINGLE OR DUAL-ARM
WALL MOUNTING
BRACKETS**



SPECIFIC ASSEMBLY INSTRUCTIONS ARE INCLUDED WITH STANDS